

Printing date 26.03.2019

# Safety data sheet according to 1907/2006/EC, Article 31

Revision: 26.03.2019

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: MANNOL 7715 Longlife 504/507
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Lubricant
- 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: UAB "SCT Lubricants" Silutes PI. 119 LIT-95112 KLAIPEDA LITHUANIA renata@sct.lt

- · Further information obtainable from: Product safety department.
- 1.4 Emergency telephone number: During normal opening times: +370/615 313 68

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- **Classification according to Regulation (EC) No 1272/2008** The product is not classified, according to the CLP regulation.

#### 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:
- EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compor	nents:			
EINECS: 253-249-4	Bis (nonylphenyl) amine	Aquatic Chronic 4, H413	0.3–1.2%	
	C14-16-18 Alkyl phenol	STOT RE 2, H373; Skin Sens. 1B, H317	<1.0%	
· Not dangerous substances				
CAS: 72623-86-0 EINECS: 276-737-9	[=		20–30%	
CAS: 64742-54-7	<b></b>		20–30%	
EINECS: 265-157-1				
		(Co	ontd. on page 2)	
			(	



Printing date 26.03.2019

Revision: 26.03.2019

#### Trade name: MANNOL 7715 Longlife 504/507

	(C	ontd. of page 1)
CAS: 72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	20–30%
EINECS: 276-738-4		
CAS: 93819-94-9	Zinc bis(O-(6-menthylheptyl)) bis(O-(sec-butyl))bis(dithiophosphate)	0.6-0.75%
EINECS: 298-577-9	Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

 $^{\cdot}$  4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

Sand

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product. Wear protective clothing.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Printing date 26.03.2019

#### Revision: 26.03.2019

#### Trade name: MANNOL 7715 Longlife 504/507

(Contd. of page 2)

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling No special measures required.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

(Contd. on page 4)



Printing date 26.03.2019

Revision: 26.03.2019

### Trade name: MANNOL 7715 Longlife 504/507

(Contd. of page 3)

9.1 Information on basic physical and	chemical properties
General Information	· · · · · · · · · · · · · · · · · · ·
Appearance:	
Form:	Liquid
Colour:	Yellow-brown
Odour: Odour threshold:	Specific type Not determined.
pH-value:	Not determined.
•	
Change in condition	40.80
Melting point/freezing point: Initial boiling point and boiling range	-42 °C
Flash point:	>216 °C
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	0.85 g/cm <sup>3</sup>
Bulk density:	850 kg/m³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic at 40 °C:	>65 mm²/s
Solvent content:	
VOC (EC)	0.00 %
Solids content:	0.0 %
9.2 Other information	No further relevant information available.

# **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No further relevant information available.

(Contd. on page 5)

GB



Printing date 26.03.2019

# Safety data sheet according to 1907/2006/EC, Article 31

Revision: 26.03.2019

#### Trade name: MANNOL 7715 Longlife 504/507

(Contd. of page 4)

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: Carbon monoxide Aldehyde Poisonous gases/vapours Carbon dioxide

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

– GB

(Contd. on page 6)



Printing date 26.03.2019

Revision: 26.03.2019

#### Trade name: MANNOL 7715 Longlife 504/507

(Contd. of page 5)

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

· European waste catalogue

HP 14 Ecotoxic

Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number		
ADR, ADN, IMDG, IATA	not regulated	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
14.4 Packing group		
ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	lex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	not regulated	

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

(Contd. on page 7)

<sup>–</sup> GB



Printing date 26.03.2019

Revision: 26.03.2019

## Trade name: MANNOL 7715 Longlife 504/507

H373 May cause damage to organs through pro H411 Toxic to aquatic life with long lasting effec H413 May cause long lasting harmful effects to	ts.
Department issuing SDS: Product safety depa	artment.
Contact: Mrs. Zubaite	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandi International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods	ses dangereuses par Route (European Agreement concerning th
IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and L	abelling of Chemicals
EINECS: European Inventory of Existing Commercial Cher	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the Americar	n Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)	• /
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Skin Sens. 1B: Skin sensitisation – Category 1B	
STOT RE 2: Specific target organ toxicity (repeated exposi	
Aquatic Chronic 4: Hazardous to the aquatic environment	
* Data compared to the previous version alter	ered.